



**MARIANAS VISITORS AUTHORITY**

P.O. BOX 500861 CK  
SAIPAN, MP 96950  
TEL.: (670) 664-3200/1  
FAX: (670) 664-3237  
E-mail: mva@mymarianas.com  
www.mymarianas.com



**INVITATION FOR BID**  
**MVA-IFB-16-2347: ACQUISITION OF RIDING MOWER FOR MVA TINIAN**  
**MVA-IFB-16-2348: ACQUISITION OF RIDING MOWER FOR MVA ROTA**

**BACKGROUND**

The Marianas Visitors Authority (MVA) is requesting proposals from interested individual or company to provide the MVA with two (2) units of riding mower described below.

**BASIC REQUIREMENTS**

- State what attachments/accessories are available and must itemize with specificity the price for each attachment/accessory.
- Must state and attach the warranty services available and maintenance such as the repairs, spare parts availability, mechanical services, etc.
- Must comply with Public Law No. 15-23 "energy efficient" to the extent possible.
- The Bid price should include the "CIF" or sea-freight Agreement for our Tinian and Rota Offices.

**1) MVA-IFB-16-2347 Riding Mower for Tinian (1 Unit)**

**EQUIPMENT SPECIFICATIONS**

Item	Specification
Type	Front rotary mower with comfort cab
Fuel	3 Cylinder Diesel (fuel can also be proposed) or above
Maximum rated power per SAE	Maximum rated power per SAE-30.9 (22.7) at 3,000 rpm, FS
Transmission	Transmission –Hydrostatic
Traction Drive	Single Speed 4WD
Differential Lock	Standard
Vehicle Speed forward	0-12 (0-19.3)
Vehicle Speed reverse	0-5 (0-8)
Front Tires	18 x 8.5 -10
Brake Type	Internal Wet Disc
Power Take Off	Front
PTO Clutch	Front
Power Steering	Standard
Comfort	Tilt Steering Wheel
Grand Clearance inches (mm)	6.5 (165)
Height with cab inches (mm)	83.7 (2.127)
Height w/ ROPS inches (mm)	N/A as cab standard
Wheel base inches (mm)	49.2 (1.250)

Item	Specification
Weight w/on deck/fuel lbs. (kg.)	2,435 (1,105.5)
Mower Deck	62" Cutting Width Fits 1550,1570,1575,1580,1585
Gearbox design	L type
Cutting Deck	62 Rear discharge
Cutting Width	62 inches or 25-152 cm.
Cutting Height	1 to 6 inches or 25 to 152 cm.

2) *MVA-IFB-16-2348 Riding Mower for Rota (1 Unit)*

**EQUIPMENT SPECIFICATIONS**

Item	Specification
Type	52" 4WD Diesel Riding Mower 24.8hp liquid cooled diesel engine, 3000rpm, torque peak:71.5nm @ 2200rpm, displacement 1123cc, 5" air cleaner, fuel filter water separator
Fuel capacity	11.3 gal or above (diesel or gas)
Gauges & protection systems	Hour meter; fuel gauge: 4 light warning cluster gauge; oil pressure, water temperature, amps & glow plug. High water temperature shut down. Hood lock, foldable ROPS
Radiator	Mid-mount industrial radiator, 8.5 fins per inch, 7qt capacity, remote mount 1 quart expansion tank.
Traction Drive	Hydrostatic U-type transmission with single pedal control of forward and reverse ground speed. 25 micron replaceable filter. Axle serves as reservoir for hydrostatic transmission: also serves the power steering & lift valve. Lube capacity 6quarts. 4wd rear axle mechanically driven. Clutch, on-demand bi-directional
Ground speed	0-10mph
Main frame	All welded formed steel.
Tires/wheels	Front 23x9.5-12; rear 18X6.5-8-Tubeless, 4-ply rating.
Brakes	Individual 7"x1.75" drum type wheel brakes. Parking brakes, front traction wheels
Seat & Suspension	Deluxe seat w/ fore/aft travel. Adjustable for height & weight
Steering	Hydraulic power steering; 14" tilt steering wheel
Operator area	Retractable seat belt, storage box, multi-tiered beverage holder
Implement drive	1" PTO shaft by torque-teamed "HA" section belt. PTO engaged by electric clutch/brake, u-joint connection to implement
Implement lift	Twin 2.75" hydraulic cylinders
Controls	Foot operated traction-brake pedals. Hand operated throttle, PTO switch, brake lock, implement lift switch, ignition switch, glow plugs

CAL

Item	Specification
Electrical features	12v maintenance free battery. 40amp alternator w i/c regulator rectifier. Seat switch. PTO traction & parking brake switches
Canopy	ROPS mounted, 55" x40"
Dims & weight	47"W x 85"L x 56" h/ w/ rops up/ 1520 lbs./ 47.5" wheelbase
Clearance	Front is 6" and rear is 4.25"
Warranty	2 years or 1500 hrs. limited warranty or above
Cutting deck	52" side discharge; 3blade front mount rotary. Uncut circle w/ use of individual wheel brake. 0" 12gauge formed steel, 7gauge weld support brackets 5" deep. Height of cut range; 1-4" mows 2.6acres@ 5mph.. 3ea 9" ductile spindles, greaseable bearings PTO shaft driven mounted gearbox, 3ea 18"L x 2.5"w x 5mm heat treated steel blades, ground following capable, 8" pneumatic turf tires w/ greaseable bearings, 4 anti-scalp rollers, rear weight kit.

## EVALUATION OF IFB

The contract will be awarded to the lowest responsive bid by a responsible bidder whose bid fully meets the requirements of the invitation for bids and the MVA Procurement Regulations, NMIAC Title 90, Chapter 20.

## OTHER REQUIREMENTS AND INFORMATION:

- Proposals must be received at the Office of the MVA Managing Director, no later than **October 17, 2016 at 10:00 a.m.**
- Proposals may be hand-carried, or mailed to the following address: MVA Managing Director, P.O. Box 500861, Saipan, MP 96950. All proposals must be submitted in English.
- All proposals must be sealed and marked **MVA-IFB-16-2347 or/and MVA-IFB-16-2348 as applicable** and submitted with original and three (3) copies.
- All bids shall be opened publicly on **October 19, 2016, at 10:00 am**, at the Office of the MVA Managing Director. The amount of each bid, together with the name of each bidder, shall be recorded. The record and each bid shall be open to public inspection. The Managing Director shall prepare a written summary of the bid opening.
- All responses to the IFB shall take into account any and all taxes, which will become the obligation of the proposer awarded a contract. The firm selected will be subject to a responsibility determination in conformance with NMIAC § 90-20-401, and must possess a valid CNMI Business License in order to sign a contract.
- Proposals submitted from firms outside the Commonwealth must be postmarked by the U.S. Postal Service or official government mail service of a foreign country by **October 17, 2016**, and must be received by MVA within seven (7) working days of that date. Proposers from outside the Commonwealth must notify the Managing Director in writing

of their intent to submit in order to receive the additional seven (7) working days for the receipt of the actual Proposal Documents. This notice of intent may be submitted by any mode of written communication including facsimile to (670) 664-3237, or e-mailed to [cfrancisco@mymarianas.com](mailto:cfrancisco@mymarianas.com). Notification of intent to submit must be received by MVA no later than **October 17, 2016 at 10:00 a.m.**

- MVA reserves the right to reject any or all proposals, and to waive any defects, if it is in the best interests of the Commonwealth. All proposals will become the property of MVA.
- It shall be a breach of ethical standards for any person to offer, give or agree to give any Board member or employee to solicit, demand, accept, or agree to accept from another person, a gratuity or an offer of employment in connection with any decision, approval, disapproval, recommendation, preparation of any part of a program requirement or a purchase request, influencing the content of any specification or procurement standard, rendering of advice, investigation, auditing or in any other advisory capacity in any proceeding or application, request for ruling, determination, claim or controversy, or other particular matter, pertaining, to any program requirement or a contract or subcontract or to any solicitation or proposal therefor.
- It shall be a breach of ethical standards for any payment, gratuity or offer of employment to be made by or on behalf of a subcontractor under a contract to the prime contractor or higher tier subcontractor or any person associated therewith as an inducement for the award of a subcontractor or order.
- It shall be a breach of ethical standards for a person to be retained or to retain a person to solicit or secure MVA contracts upon an agreement or understanding for a commission, percentage, brokerage or contingent fee, except for retention of bona fide employees or bona fide established commercial selling agencies for the purpose of securing business. Every person, before being awarded an MVA contract, shall represent, in writing that such person has not retained anyone in violation of this provision. Failure to do so constitutes a breach of ethical standards.



**Marian Aldan-Pierce**  
Chairman of the Board of Directors, MVA



**Christopher Concepcion**  
Managing Director, MVA